



ESEREN
group

GENEL TEKNİK KATALOG
GENERAL TECHNICAL CATALOGUE



ESEREN
— group —

GENEL TEKNİK KATALOG
GENERAL TECHNICAL CATALOGUE

MOMENTUM - DINAMIC - ENERGY - EASY SLIDE



MOMENTUM




DINAMIC



ENERGY



EASY SLIDE



Momentum Profiller / Momentum Profiles.....	9
Momentum Yardımcı Profiller / Momentum Auxiliary Profiles.....	15
Momentum Uygulama Detayları / Momentum Application Details	17
Dinamic Profiller / Dinamic Profiles.....	29
Dinamic Yardımcı Profiller / Dinamic Auxiliary Profiles.....	40
Dinamic Uygulama Detayları / Dinamic Application Details.....	43
Energy Profiller / Energy Profiles.....	59
Energy Yardımcı Profiller / Energy Auxiliary Profiles.....	67
Energy Uygulama Detayları / Energy Application Details.....	70
Easy Slide Profiller / Easy Slide Profiles	79
Easy Slide Uygulama Detayları / Easy Slide Application Details.....	85



Kunststoff

months

DWM

P1

Kunststoff Systeme für F

DWM

DWM
Kunststoff Systeme für Fenster und Türen
PVC PROFILE SYSTEMS




Germany Technology
Made in Germany




ESEREN
— group —

MOMENTUM





AK.169



Momentum Kasa / Momentum Frame

Profil Kodu / Profile Code : PR60011



Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.26x25x26x25	1,0 mm	0,733
	1,2 mm	0,861
	1,5 mm	1,053
	2 mm	1,342
DS.10.26x25x26	1,0 mm	0,569
	1,2 mm	0,674
	1,5 mm	0,831



**Momentum Pervazlı Kasa
Momentum Frame With Dec. Sill**

Profil Kodu / Profile Code : PR60061




Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.16x27x16x27	1,0 mm	0,608
	1,2 mm	0,711
	1,5 mm	0,866
	2 mm	1,092
DS.10.27x16x27	1,0 mm	0,515
	1,2 mm	0,608
	1,5 mm	0,749



Momentum U Kasa
Momentum Frame Profile With Two Sill

Profil Kodu / Profile Code : PR60101

Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.26x25x26x25	1,0 mm	0,733
	1,2 mm	0,861
	1,5 mm	1,053
	2 mm	1,342
DS.10.26x25x26	1,0 mm	0,569
	1,2 mm	0,674
	1,5 mm	0,831







AK.169

Momentum Kanat / Momentum Sash


Profil Kodu / Profile Code : PR60021

Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.14x25x14x25	1,0 mm	0,546
	1,2 mm	0,636
	1,5 mm	1,772
	2 mm	0,967
DS.10.25x14x25	1,0 mm	0,468
	1,2 mm	0,552
	1,5 mm	0,679






AK.200





AK.627



Momentum Orta Kayıt / Momentum Mullion

Profil Kodu / Profile Code : PR60031



Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.26x25x26x25	1,0 mm	0,733
	1,2 mm	0,861
	1,5 mm	1,053
	2 mm	1,342
DS.10.26x25x26	1,0 mm	0,569
	1,2 mm	0,674
	1,5 mm	0,831



**Momentum Hareketli Orta Kayıt
Momentum Lap Joint**

Profil Kodu / Profile Code : PR60051



Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.18x25x18x25	1,0 mm	0,608
	1,2 mm	0,711
	1,5 mm	0,866
	2 mm	1,092
DS.10.25x18x25	1,0 mm	0,499
	1,2 mm	0,590
	1,5 mm	0,725



Momentum Kapı Kanat
Momentum Door Sash

Profil Kodu / Profile Code : PR60041





Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.42x25x42x25	1,0 mm	0,983
	1,2 mm	1,161
	1,5 mm	1,427
	2 mm	1,841
DS.10.42x25x42	1,0 mm	0,819
	1,2 mm	0,973
	1,5 mm	1,205




Momentum Dışa Açılım Kapı Kanat
Momentum Outward Opening Door Sash

Profil Kodu / Profile Code : PR60111


Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.42x25x42x25	1,0 mm	0,983
	1,2 mm	1,161
	1,5 mm	1,427
	2 mm	1,841
DS.10.42x25x42	1,0 mm	0,819
	1,2 mm	0,973
	1,5 mm	1,205





ESK.60





AK.268







Momentum 24 mm Çift Cam Çita
Momentum Double Glazing Bead 24 mm

Profil Kodu / Profile Code : PR60247





Momentum 20 mm Çift Cam Çita
Momentum Double Glazing Bead 20 mm

Profil Kodu / Profile Code : PR60207





Momentum 4 mm Çift Cam Çita
Momentum Single Glazing Bead 4 mm

Profil Kodu / Profile Code : PR60407




Kasa Altı Montaj Profili
Frame Montage Profile

Profil Kodu / *Profile Code* : YPR10521




Bağ Profili
Narrow Coupling Profile

Profil Kodu / *Profile Code* : YPR10518




60 mm Köşe
60 mm Corner Box

Profil Kodu / Profile Code : YPR60531




Boru Adaptörü
Pipe Adaptor

Profil Kodu / Profile Code : YPR60551




60 mm Boru
60 mm Pipe

Profil Kodu / Profile Code : YPR60541




Kasa Yükseltme
Frame Rising

Profil Kodu / Profile Code : YPR60301





Denizlik
PVC Sill


Profil Kodu / Profile Code : YPR10561




























**A-A
KESİTİ**



**B-B
KESİTİ**








ESEREN
— group —




DINAMIC



Dinamic B Kasa / Dinamic B Frame

Profil Kodu / Profile Code : PR70011



Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.26x25x26x25	1,0 mm	0,733
	1,2 mm	0,861
	1,5 mm	1,053
	2 mm	1,342
DS.10.26x25x26	1,0 mm	0,569
	1,2 mm	0,674
	1,5 mm	0,831



**Dinamic Kasa
Dinamic Frame**

Profil Kodu / Profile Code : PR70074




Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.26x25x26x25	1,0 mm	0,733
	1,2 mm	0,861
	1,5 mm	1,053
	2 mm	1,342
DS.10.26x25x26	1,0 mm	0,569
	1,2 mm	0,674
	1,5 mm	0,831



Dinamic Plus Kasa
Dinamic Plus Frame

Profil Kodu / Profile Code : PR70016




Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.26x25x26x25	1,0 mm	0,733
	1,2 mm	0,861
	1,5 mm	1,053
	2 mm	1,342
DS.10.26x25x26	1,0 mm	0,569
	1,2 mm	0,674
	1,5 mm	0,831




Dinamic Pervazlı Kasa
Dinamic Frame With Sill


Profil Kodu / Profile Code : PR70065

Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.26x25x26x25	1,0 mm	0,733
	1,2 mm	0,861
	1,5 mm	1,053
	2 mm	1,342
DS.10.26x25x26	1,0 mm	0,569
	1,2 mm	0,674
	1,5 mm	0,831







AK.169



Dinamic Plus Pervazlı Kasa
Dinamic Plus Frame With Sill

Profil Kodu / Profile Code : PR70066



Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.26x25x26x25	1,0 mm	0,733
	1,2 mm	0,861
	1,5 mm	1,053
	2 mm	1,342
DS.10.26x25x26	1,0 mm	0,569
	1,2 mm	0,674
	1,5 mm	0,831



Dinamic B Kanat / Dinamic B Sash

Profil Kodu / Profile Code : PR70021



Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.15x29x15x29	1,0 mm	0,624
	1,2 mm	0,730
	1,5 mm	0,889
	2 mm	1,123
DS.10.29x15x29	1,0 mm	0,538
	1,2 mm	0,636
	1,5 mm	0,784



Dinamic Kanat / Dinamic Sash

Profil Kodu / Profile Code : PR70025



Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.15x29x15x29	1,0 mm	0,624
	1,2 mm	0,730
	1,5 mm	0,889
	2 mm	1,123
DS.10.29x15x29	1,0 mm	0,538
	1,2 mm	0,636
	1,5 mm	0,784





**Dinamic Plus Kanat
Dinamic Plus Sash**

Profil Kodu / Profile Code : PR70026

Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.15x29x15x29	1,0 mm	0,624
	1,2 mm	0,730
	1,5 mm	0,889
	2 mm	1,123
DS.10.29x15x29	1,0 mm	0,538
	1,2 mm	0,636
	1,5 mm	0,784







Dinamic Orta Kayıt
Dinamic Mullion

Profil Kodu / Profile Code : PR70035




Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.26x25x26x25	1,0 mm	0,733
	1,2 mm	0,861
	1,5 mm	1,053
	2 mm	1,342
DS.10.26x25x26	1,0 mm	0,569
	1,2 mm	0,674
	1,5 mm	0,831



Dinamic Plus Orta Kayıt
Dinamic Plus Mullion

Profil Kodu / Profile Code : PR70036





Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.26x25x26x25	1,0 mm	0,733
	1,2 mm	0,861
	1,5 mm	1,053
	2 mm	1,342
DS.10.26x25x26	1,0 mm	0,569
	1,2 mm	0,674
	1,5 mm	0,831



Dinamic Hareketli Orta Kayıt
Dinamic Lap Joint

Profil Kodu / Profile Code : PR70051




Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.27x28x27x28	1,0 mm	0,796
	1,2 mm	0,936
	1,5 mm	1,147
	2 mm	1,466
DS.10.28x27x28	1,0 mm	0,616
	1,2 mm	0,730
	1,5 mm	0,901




Dinamic B Kapı Kanat
Dinamic B Door Sash

Profil Kodu / Profile Code : PR70091

Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.40x34x40x34	1,0 mm	0,624
	1,2 mm	0,730
	1,5 mm	0,889
	2 mm	1,123
DS.10.40x34x40	1,0 mm	0,538
	1,2 mm	0,636
	1,5 mm	0,784







Dinamic Kapı Kanat
Dinamic Door Sash

Profil Kodu / Profile Code : PR70085


Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.42x28x42x28	1,0 mm	1,030
	1,2 mm	1,217
	1,5 mm	1,498
	2 mm	1,934
DS.10.42x28x42	1,0 mm	0,842
	1,2 mm	1,002
	1,5 mm	1,240



Dinamic Plus Kapı Kanat
Dinamic Plus Door Sash

Profil Kodu / Profile Code : PR70046



Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.42x28x42x28	1,0 mm	1,030
	1,2 mm	1,217
	1,5 mm	1,498
	2 mm	1,934
DS.10.42x28x42	1,0 mm	0,842
	1,2 mm	1,002
	1,5 mm	1,240



Dinamic Geniş Kapı Kanat
Dinamic Wide Door Sash

Profil Kodu / Profile Code : PR70185



Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.55x29x55x29	1,0 mm	1,248
	1,2 mm	1,479
	1,5 mm	1,825
	2 mm	2,371
DS.10.55x29x25	1,0 mm	1,053
	1,2 mm	1,254
	1,5 mm	1,556




Dinamic Dış Açılım Kapı Kanat
Dinamic Outward Opening Door Sash

Profil Kodu / Profile Code : PR70115

Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.42x28x42x28	1,0 mm	1,030
	1,2 mm	1,217
	1,5 mm	1,498
	2 mm	1,934
DS.10.42x28x42	1,0 mm	0,842
	1,2 mm	1,002
	1,5 mm	1,240







Dinamic Plus Dar Kapı Kanat
Dinamic Plus Narrow Door Sash


Profil Kodu / Profile Code : PR70126


Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.29x30x29x30	1,0 mm	0,858
	1,2 mm	1,011
	1,5 mm	1,240
	2 mm	1,591
DS.10.30x29x30	1,0 mm	0,663
	1,2 mm	0,786
	1,5 mm	0,971



Dinamic 32 mm Üç Cam Çıta
Dinamic Triple Glazing Bead 32 mm



Profil Kodu / Profile Code : PR70327







Dinamic 24 mm Çift Cam Çita
Dinamic Double Glazing Bead 24 mm

Profil Kodu / Profile Code : PR70247




Dinamic 20 mm Çift Cam Çita
Dinamic Double Glazing Bead 20 mm


Profil Kodu / Profile Code : PR50407



Dinamic 4 mm Tek Cam Çita
Dinamic Single Glazing Bead 4 mm



Profil Kodu / Profile Code : PR70407






Kasa Altı Montaj Profili
Frame Montage Profile


Profil Kodu / *Profile Code* : YPR10521



Bağ Profili
Narrow Coupling Profile



Profil Kodu / *Profile Code* : YPR10518






Dinamic 35 mm Kasa Yükseltme
Dinamic 35 mm Frame Lifting


Profil Kodu / *Profile Code* : YPR70351



Dinamic 50 mm Kasa Yükseltme
Dinamic 50 mm Frame Lifting


Profil Kodu / *Profile Code* : YPR70501






70 mm Köşe
70 mm Corner Box

Profil Kodu / Profile Code : YPR70531




Boru Adaptörü
Pipe Adaptor

Profil Kodu / Profile Code : YPR70551




70 mm Boru
70 mm Pipe


Profil Kodu / Profile Code : YPR70541





Denizlik
PVC Sill


Profil Kodu / Profile Code : YPR10561










































A-A
KESİTİ



B-B
KESİTİ








ESEREN
— group —



ENERGY



Energy Kasa / Energy Frame


Profil Kodu / Profile Code : PR80013

Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.26x25x26x25	1,0 mm	0,733
	1,2 mm	0,861
	1,5 mm	1,053
	2 mm	1,342
DS.10.26x25x26	1,0 mm	0,569
	1,2 mm	0,674
	1,5 mm	0,831

Energy Plus Kasa
Energy Plus Frame



Profil Kodu / Profile Code : PR80016

Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.26x25x26x25	1,0 mm	0,733
	1,2 mm	0,861
	1,5 mm	1,053
	2 mm	1,342
DS.10.26x25x26	1,0 mm	0,569
	1,2 mm	0,674
	1,5 mm	0,831






Energy Pervazlı Kasa
Energy Frame With Sill
Profil Kodu / Profile Code : PR80063


Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.26x25x26x25	1,0 mm	0,733
	1,2 mm	0,861
	1,5 mm	1,053
	2 mm	1,342
DS.10.26x25x26	1,0 mm	0,569
	1,2 mm	0,674
	1,5 mm	0,831



Energy Plus Pervazlı Kasa
Energy Plus Frame With Sill
Profil Kodu / Profile Code : PR80066

Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.26x25x26x25	1,0 mm	0,733
	1,2 mm	0,861
	1,5 mm	1,053
	2 mm	1,342
DS.10.26x25x26	1,0 mm	0,569
	1,2 mm	0,674
	1,5 mm	0,831






AK.169





Energy Kanat
Energy Sash
Profil Kodu / Profile Code : PR80023

Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.16x27x16x27	1,0 mm	0,608
	1,2 mm	0,711
	1,5 mm	0,866
	2 mm	1,092
DS.10.27x16x27	1,0 mm	0,515
	1,2 mm	0,608
	1,5 mm	0,749


Energy Plus Kanat
Energy Plus Sash
Profil Kodu / Profile Code : PR80026




Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.16x27x16x27	1,0 mm	0,608
	1,2 mm	0,711
	1,5 mm	0,866
	2 mm	1,092
DS.10.27x16x27	1,0 mm	0,515
	1,2 mm	0,608
	1,5 mm	0,749



Energy Damlalıklı Kanat
Energy Offset Type Sash

Profil Kodu / Profile Code : PR80134




Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.16x27x16x27	1,0 mm	0,608
	1,2 mm	0,711
	1,5 mm	0,866
	2 mm	1,092
DS.10.27x16x27	1,0 mm	0,515
	1,2 mm	0,608
	1,5 mm	0,749





Energy Hareketli Orta Kayıt
Energy Lab Joint


Profil Kodu / Profile Code : PR80053

Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.26x25x26x25	1,0 mm	0,749
	1,2 mm	0,880
	1,5 mm	1,076
	2 mm	1,373
DS.10.26x25x26	1,0 mm	0,640
	1,2 mm	0,780
	1,5 mm	0,936









AK.203


Energy Orta Kayıt
Energy Mullion
Profil Kodu / Profile Code : PR80033

Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.26x25x26x25	1,0 mm	0,733
	1,2 mm	0,861
	1,5 mm	1,053
	2 mm	1,342
DS.10.26x25x26	1,0 mm	0,569
	1,2 mm	0,674
	1,5 mm	0,831


Energy Plus Orta Kayıt
Energy Plus Mullion
Profil Kodu / Profile Code : PR80036




Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.26x25x26x25	1,0 mm	0,733
	1,2 mm	0,861
	1,5 mm	1,053
	2 mm	1,342
DS.10.26x25x26	1,0 mm	0,569
	1,2 mm	0,674
	1,5 mm	0,831



Energy Kapı Kanat
Energy Door Sash

Profil Kodu / *Profile Code* : PR80043




Destek Sacı / <i>Reinforcement</i>	Kalınlık <i>Thickness</i>	Ağırlık (kg/m) <i>Weight</i>
DSK.10.40x32x40x32	1,0 mm	1,061
	1,2 mm	1,254
	1,5 mm	1,544
	2 mm	1,997
DS.10.40x32x40	1,0 mm	0,842
	1,2 mm	1,002
	1,5 mm	1,240




Energy PlusKapı Kanat
Energy Plus Door Sash

Profil Kodu / *Profile Code* : PR80046



Destek Sacı / <i>Reinforcement</i>	Kalınlık <i>Thickness</i>	Ağırlık (kg/m) <i>Weight</i>
DSK.10.40x32x40x32	1,0 mm	1,061
	1,2 mm	1,254
	1,5 mm	1,544
	2 mm	1,997
DS.10.40x32x40	1,0 mm	0,842
	1,2 mm	1,002
	1,5 mm	1,240







Energy 24 mm Çift Cam Çita
Energy Double Glazing Bead 24 mm

Profil Kodu / Profile Code : PR80247




Energy 24 mm Çift Cam Dekoratif Çita
Energy Double Glazing Decotative Bead 24 mm



Profil Kodu / Profile Code : PR80257



Energy 44 mm Üç Cam Çita
Energy Triple Glazing Bead 44 mm



Profil Kodu / Profile Code : PR80447







Kasa Altı Montaj Profili
Frame Montage Profile

Profil Kodu / Profile Code : YPR10521





Bağ Profili
Narrow Coupling Profile

Profil Kodu / Profile Code : YPR10518




Energy 35 mm Kasa Yükseltme
Energy 35 mm Frame Lifting

Profil Kodu / Profile Code : YPR80351




Energy 50 mm Kasa Yükseltme
Energy 50 mm Frame Lifting


Profil Kodu / Profile Code : YPR80501





Denizlik
PVC Sill


Profil Kodu / *Profile Code* : YPR10561



























MAKİNE GÜÇLÜKLERİ PENCİRE
SOLANMA PALLANMA
GÜÇLÜKLERİ, ELEMANLAR PENCİRE
ADAMA




ESEREN
— group —

EASY SLIDE



AK.781



AK.168






AK.291

Easy Slide Çift Ray Kasa
Easy Slide Frame Double Rail

Profil Kodu / Profile Code : PR50014



Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.40x13x40x13	1,0 mm	0,764
	1,2 mm	0,899
	1,5 mm	1,100
	2 mm	1,404
DS.10.40x13x40	1,0 mm	0,694
	1,2 mm	0,824
	1,5 mm	1,018



Easy Slide Pervazlı Kasa
Easy Slide Frame With Sill

Profil Kodu / Profile Code : PR50064




Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.40x13x40x13	1,0 mm	0,764
	1,2 mm	0,899
	1,5 mm	1,100
	2 mm	1,404
DS.10.40x13x40	1,0 mm	0,694
	1,2 mm	0,824
	1,5 mm	1,018




Easy Slide Fix Kasa
Easy Slide Frame Single Rail

Profil Kodu / Profile Code : PR50144

Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.22x13x22x13	1,0 mm	0,484
	1,2 mm	0,562
	1,5 mm	0,679
	2 mm	0,842
DS.10.3x32x3	1,0 mm	0,265
	1,2 mm	0,309
	1,5 mm	0,374



AK.781



AK.168







AK.291

Easy Slide Sineklikli Pervazlı Kasa
Easy Slide Frame With Fly-Screen 40 mm Sill


Profil Kodu / Profile Code : PR50174

Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.40x13x40x13	1,0 mm	0,764
	1,2 mm	0,899
	1,5 mm	1,100
	2 mm	1,404
DS.10.40x13x40	1,0 mm	0,694
	1,2 mm	0,824
	1,5 mm	1,018






AK.2509




AK.1218



Easy Slide Kanat
Easy Slide Sash

Profil Kodu / Profile Code : PR50024



Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.25x25x25	1,0 mm	0,554
	1,2 mm	0,655
	1,5 mm	0,807
	2 mm	1,045





Easy Slide Orta Kayıt
Easy Slide Mullion

Profil Kodu / Profile Code : PR50034



Destek Sacı / Reinforcement	Kalınlık Thickness	Ağırlık (kg/m) Weight
DSK.10.20x20x20x20	1,0 mm	0,562
	1,2 mm	0,655
	1,5 mm	0,796
	2 mm	0,998
DS.10.20x20x20	1,0 mm	0,437
	1,2 mm	0,515
	1,5 mm	0,632







Easy Slide 20 mm Çift Cam Çıta
Easy Slide Double Glazing Bead 20 mm

Profil Kodu / Profile Code : PR50207



Easy Slide 4 mm Tek Cam Çıta
Easy Slide Single Glazing Bead 4 mm




Profil Kodu / Profile Code : PR50407



AK.2509

Kasa Kapama Profili
Frame Channel Cover Profile


Profil Kodu / Profile Code : PR50407





AK.2509

Kanat Kapama Profili
Sash Cover Profile


Profil Kodu / Profile Code : PR50407































A-A
KESİTİ



B-B
KESİTİ







Organize Sanayi Bölgesi 9. Cad No: 41 **ESKİŞEHİR/TÜRKİYE**
İmîşehir Organize Sanayi Bölgesi 2003, Cadde No: 21 **ESKİŞEHİR/TÜRKİYE**
Organize Sanayi Bölgesi 34. Cad No: 13 **ESKİŞEHİR/TÜRKİYE**
Web: www.dmpvc.com.tr **e-mail:** info@eserengroup.com.tr **Phone:** 0222 236 91 56

weruplast
Kunststoff Systeme Für Fenster und Türen

DM
Kunststoff Systeme Für Fenster und Türen

baumann
Kunststoff Systeme Für Fenster und Türen